



Splitcart™ SERIES



**Made
for life in
motion**

Collection bin for semi-automated
Type B American and Type C European grips



50/50

62/38

**SPLITCART METHODOLOGY CAN BOOST
COLLECTION EFFICIENCY BY:**

- Increasing organic waste collection
- Reducing food scrap contamination
- Decreasing recycling contamination



The optimal solution

to collect two material streams
in one cart with one truck.

Specially designed to support
your green waste management plan.

KEY FEATURES

- IPL's injection process uses high density polyethylene (HDPE) that yields precise design and consistent thicknesses;
- UV stabilized against long-term effects of the sun;
- 100% recyclable;
- Unibody design requires no bolts or holes that could potentially leak;
- Designed for maximum wind stability.

STANDARD COLOURS:

Green 363	Bleu 285	Grey 447
Brown 462	Black 099	

Other colours available upon request. Colours shown may vary slightly from actual product.

Splitcart™ SERIES

64 GAL. – 240L / 95 GAL. – 360L



FEATURES & HIGHLIGHTS

- Sophisticated dual lid design keeps insect and moisture out of the cart
- Attached lids have a pitched, open to center design, with a gutter system built in to drain water
- Multilingual user instructions
- Hot-stamping or IML, sequential serial numbers and barcodes
- Injection molding labeling (IML) on lid to identify collection type
- RFID label and barcode option available for quick identification
- Easy to handle
- Dual lids act as deflectors to prevent cross contamination
- Molded anti-wear strip
- Standard lip for American and European grips
- Snap on wheels without tools
- Corrosion-resistant zinc-plated steel axle

PRODUCTS SPECIFICATIONS

VOLUME	64 U.S. GAL. / 240L (MC1012)		95 U.S. GAL. / 360L (MC462)	
	IN	CM	IN	CM
Depth	27 1/2	69.9	33 3/4	85.7
Width	24 1/2	62.2	26 1/4	66.7
Height	43 1/4	109.9	46 1/4	117.5
Wheel diameter	8 – 10 – 12	20 – 25 – 30	10 – 12	25 – 30
Standard Axle	3/4	1.9	3/4	1.9
	LBS.	KG	LBS.	KG
Load rating	240	109	335	152
Assembly weight	32 to 36	15 to 17	39 to 45	18 to 20


Splitcart™ SERIES

64 GAL. – 240L / 95 GAL. – 360L

AVAILABLE OPTIONS



Lids attached in the center with a plastic rod



Optional 25.4 cm (10") IPL Bi-material wheel



Rotating metal catch bar



OPTIONAL

- RFID tag inserted in handle
- Post-consumer resin
- Reflective stickers
- In mold labeling (lid)
- Multicolour hot stamping

WARRANTY

- IPL's high density polyethylene (HDPE) injection molding process yields precise design and consistent thicknesses;
- Stands up to inclement weather and impacts; estimated service life of 20 years;
- UV stabilized for long-term protection against the effects of the sun;
- Most durable cart in North America;
- Meets all American National Standard Institute (ANSI) requirements for safety and litter system

CERTIFICATIONS

When you choose IPL, you work with a recognized industry leader. IPL was the first plastic injection company to achieve ISO 9001 quality certification in North America. The addition of ISO/TS16949 certification further demonstrates IPL's commitment to quality. These quality initiatives demonstrate our capabilities and know-how.

CONTACT US

ipl-plastics.com

1 800 463.0270

