



# Splitcart<sup>TM</sup>

## SERIES



**Made  
for life in  
motion**

Collection bin for semi-automated  
Type B American and Type C European grips



50/50

62/38

**SPLITCART METHODOLOGY CAN BOOST  
COLLECTION EFFICIENCY BY:**

- Increasing organic waste collection
- Reducing food scrap contamination
- Decreasing recycling contamination



## The optimal solution

to collect two material streams  
in one cart with one truck.

Specially designed to support  
your green waste management plan.

### KEY FEATURES

- IPL's injection process uses high density polyethylene (HDPE) that yields precise design and consistent thicknesses;
- UV stabilized against long-term effects of the sun;
- 100% recyclable;
- Unibody design requires no bolts or holes that could potentially leak;
- Designed for maximum wind stability.

### STANDARD COLOURS:

|              |              |             |
|--------------|--------------|-------------|
| Green<br>363 | Bleu<br>285  | Grey<br>447 |
| Brown<br>462 | Black<br>099 |             |

Other colours available upon request. Colours shown may vary slightly from actual product.

# Splitcart™ SERIES

64 GAL. – 240L / 95 GAL. – 360L



## FEATURES & HIGHLIGHTS

- Sophisticated dual lid design keeps insect and moisture out of the cart
- Attached lids have a pitched, open to center design, with a gutter system built in to drain water
- Multilingual user instructions
- Hot-stamping or IML, sequential serial numbers and barcodes
- Injection molding labeling (IML) on lid to identify collection type
- RFID label and barcode option available for quick identification
- Easy to handle
- Dual lids act as deflectors to prevent cross contamination
- Molded anti-wear strip
- Standard lip for American and European grips
- Snap on wheels without tools
- Corrosion-resistant zinc-plated steel axle

## PRODUCTS SPECIFICATIONS

| VOLUME          | 64 U.S. GAL. / 240L<br>(MC1012) |              | 95 U.S. GAL. / 360L<br>(MC462) |          |
|-----------------|---------------------------------|--------------|--------------------------------|----------|
|                 | IN                              | CM           | IN                             | CM       |
| Depth           | 27 1/2                          | 69.9         | 33 3/4                         | 85.7     |
| Width           | 24 1/2                          | 62.2         | 26 1/4                         | 66.7     |
| Height          | 43 1/4                          | 109.9        | 46 1/4                         | 117.5    |
| Wheel diameter  | 8 – 10 – 12                     | 20 – 25 – 30 | 10 – 12                        | 25 – 30  |
| Standard Axle   | 3/4                             | 1.9          | 3/4                            | 1.9      |
|                 | LBS.                            | KG           | LBS.                           | KG       |
| Load rating     | 240                             | 109          | 335                            | 152      |
| Assembly weight | 32 to 36                        | 15 to 17     | 39 to 45                       | 18 to 20 |


# Splitcart™ SERIES

64 GAL. – 240L / 95 GAL. – 360L

## AVAILABLE OPTIONS



Lids attached in the center with a plastic rod



Optional 25.4 cm (10") IPL Bi-material wheel



Rotating metal catch bar



## OPTIONAL

- RFID tag inserted in handle
- Post-consumer resin
- Reflective stickers
- In mold labeling (lid)
- Multicolour hot stamping

## WARRANTY

- IPL's high density polyethylene (HDPE) injection molding process yields precise design and consistent thicknesses;
- Stands up to inclement weather and impacts; estimated service life of 20 years;
- UV stabilized for long-term protection against the effects of the sun;
- Most durable cart in North America;
- Meets all American National Standard Institute (ANSI) requirements for safety and litter system

## CERTIFICATIONS

When you choose IPL, you work with a recognized industry leader. IPL was the first plastic injection company to achieve ISO 9001 quality certification in North America. The addition of ISO/TS16949 certification further demonstrates IPL's commitment to quality. These quality initiatives demonstrate our capabilities and know-how.

## CONTACT US

[ipl-plastics.com](http://ipl-plastics.com)

**1 800 463.0270**

