



Consumer Packaging

FREEZEPACK ROUND SERIES
14 OZ. / 420 ML TO 16 OZ. / 500 ML



FOOD MANUFACTURING AND PROCESSING

Round clear and freezable containers.

FreezePack Round

High impact resistance under the coldest conditions



Features

- Freezable, high impact resistant polypropylene
- Super clear container for added consumer appeal
- Easy filling line transition from other pint products
- Photo-quality IML decoration
- Logo engraving possible on the lid
- 100% recyclable polypropylene

Benefits

- Modern design
- Microwave and dishwasher safe

We don't just make containers, we understand the importance of reaching and attracting your customers at the point of purchase.

ROUND CLEAR AND FREEZABLE CONTAINERS

A two size family of freezable clear polypropylene containers. Standard 314 round opening that facilitates transition from other pint-size containers.

For every need

Frozen

Ice cream, frozen desserts, sorbet.



Mod.: 24442
14 oz. - (420 ml)
3.78" (W) X 3.70" (H)



Mod.: 25042
16 oz. - (500 ml)
3.78" (W) X 4.06" (H)

FreezePack Round Specifications

www.iplglobal.com

1-800-647-0602

CONTAINERS

Product Code	Model	Decoration Options [†]		Brimful Capacity		Approx. Weight		Overall Height ^A		Overall Diameter ^B		Items Per Box	Boxes Per Pallet	Items Per Pallet
		IML	Offset	US fl.oz.	ml	oz.	g	in.	mm	in.	mm			
24442	14 oz. / 420ml	✓	3F	14.88	440	0.56	15.9	3.70	93.9	3.78	96.0	744	25	18,600
25042	16 oz. / 500ml	✓	W	16.97	502	0.62	17.7	4.06	103.1	3.78	96.0	720	25	18,000


LID

Product Code	Associated Containers Code	Decoration Options		Approx. Weight		Height ^A		Diameter ^B		Items Per Box	Boxes Per Pallet	Items Per Pallet
		IML	Offset	oz.	g	in.	mm	in.	mm			
20143	All sizes of containers	✓		0.26	7.25	0.61	15.4	3.83	97.2	720	25	18,000

Color Options

Base Colors	Standard Colors	Other Colors
Natural 000	Yellow 012	Available on request
White 001	Orange 021	
Clear 002**	Red 485	
	Green 377	
	Blue 293	
	Black 099	

** Containers only



Certifications

The raw materials used are tested according to ASTM standards for polymers, are approved for food contact and meet FDA (Food and Drug Administration, USA) and HPB (Health Protection Branch, Canada) regulations. Our facilities and rigorous quality control processes have earned us certification under the following standards: ISO 9001, HACCP, IMS, SQF, C-TPAT & ISO 14001 registered management system.

Recommendations

Handling conditions vary from customer to customer. We recommend validating your processes (filling, conveying, warehousing and any others that might affect the purchased part) prior to use. Product usage temperature is between -9.4°F (-23°C) and 179.6°F (82°C) depending on resin grade.

Warranties

Some chemicals can affect the integrity of the product. Any product requiring a Safety Data Sheet (SDS) has to be submitted and approved by IPL. If buyer fails to adhere to this clause, the related product guarantees will be void.

Contact your IPL representative to ensure you have the most recent information.

The information presented herein was prepared at IPL Inc. by qualified technical personnel. To IPL's knowledge, it is true and accurate. However, the information and recommendations are provided for these products with the understanding that the customer will independently determine that the product is suitable for the intended use, and that such use, complies with all applicable laws and regulations. The data represents typical values submitted only for the user's information and consideration and does not constitute a warranty of any kind.